

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* ALAMANCE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* ALAMANCE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* ALAMANCE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	35	1	MVT, Unintentional	183	1	MVT, Unintentional	807
2	Poisoning, Unintentional	11	2	Poisoning, Self inflicted	145	2	Fall, Unintentional	600
3	Suffocation, Self inflicted; Firearm, Assault	9	3	Fall, Unintentional	65	3	Overexertion, Unintentional	530
4	Firearm, Self inflicted	8	4	Other spec/class, Unintentional	33	4	Unspecified, Unintentional	482
5	Other land transport, Unintentional; Firearm, Undetermined; Drowning, Unintentional Other	2 7	5	Poisoning, Unintentional	28	5	Struck, Unintentional	478
TOTAL		85	TOTAL		654	TOTAL		1,232

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* ALEXANDER			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* ALEXANDER			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* ALEXANDER		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	9	1	MVT, Unintentional	63	1	MVT, Unintentional	345
2	Firearm, Self inflicted	5	2	Poisoning, Self inflicted	40	2	Fall, Unintentional	292
3	Poisoning, Unintentional	4	3	Other spec/class, Unintentional	14	3	Overexertion, Unintentional	284
4	Poisoning, Self inflicted; Firearm, Assault	2	4	Poisoning, Unintentional	13	4	Struck, Unintentional	239
5			5	Transport, other, Unintentional; Fall, Unintentional	11	5	Cut/ Pierce, Unintentional	115
	Other	0		Other	64		Other	546
TOTAL		22	TOTAL		216	TOTAL		1,821

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* ALLEGHANY			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* ALLEGHANY			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* ALLEGHANY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	4	1	MVT, Unintentional	29	1	Fall, Unintentional	165
2	Firearm, Assault	2	2	Other spec/class, Unintentional	11	2	Overexertion, Unintentional	145
3	Other spec/NEC, Unintentional; MVT, Unintentional; Firearm, Self inflicted	1	3	Fall, Unintentional	8	3	Struck, Unintentional; MVT, Unintentional	141
4			4	Poisoning, Self inflicted	6	4	Unspecified, Unintentional	118
5			5	Fire/ Burn, Unintentional	4	5	Cut/ Pierce, Unintentional	85
	Other	0		Other	25		Other	307
TOTAL		9	TOTAL		83	TOTAL		1,102

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* ANSON			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* ANSON			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* ANSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	10	1	MVT, Unintentional	43	1	MVT, Unintentional	123
2	Firearm, Assault	5	2	Other spec/class, Unintentional	17	2	Overexertion, Unintentional	81
3	Poisoning, Unintentional; Firearm, Unintentional; Firearm, Self inflicted; Fire/ Burn, Unintentional	1	3	Poisoning, Self inflicted; Fall, Unintentional	10	3	Fall, Unintentional	75
4			4	Natural/ Environ, Unintentional	9	4	Unspecified, Unintentional	68
5			5	Poisoning, Unintentional	8	5	Struck, Unintentional	56
	Other	0		Other	56		Other	185
TOTAL		19	TOTAL		153	TOTAL		588

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* ASHE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* ASHE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* ASHE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Firearm, Self inflicted	8	1	MVT, Unintentional	34	1	Fall, Unintentional	53
2	MVT, Unintentional	7	2	Poisoning, Self inflicted	18	2	MVT, Unintentional	40
3	Suffocation, Self inflicted; Poisoning, Unintentional; Drowning, Unintentional	2	3	Fall, Unintentional	15	3	Overexertion, Unintentional	32
4	Unspecified, Unintentional; Firearm, Undetermined; Firearm, Assault	1	4	Poisoning, Unintentional	11	4	Struck, Unintentional	26
5			5	Transport, other, Unintentional	10	5	Cut/ Pierce, Unintentional	16
	Other	0		Other	49		Other	73
TOTAL		24	TOTAL		137	TOTAL		240

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* AVERY			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* AVERY			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* AVERY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	4	1	MVT, Unintentional	19	1	Fall, Unintentional	117
2	Poisoning, Unintentional	3	2	Fall, Unintentional	10	2	Overexertion, Unintentional	104
3	Firearm, Self inflicted	2	3	Poisoning, Self inflicted	8	3	MVT, Unintentional	102
4	Transport, other, Unintentional; Suffocation, Self inflicted; Other land transport, Unintentional; Firearm, Assault	1	4	Struck, Unintentional; Fire/ Burn, Unintentional	5	4	Struck, Unintentional	92
5			5	Transport, other, Unintentional; Poisoning, Undetermined	4	5	Cut/ Pierce, Unintentional	72
	Other	0		Other	25		Other	159
TOTAL		13	TOTAL		80	TOTAL		646

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* BEAUFORT			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* BEAUFORT			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* BEAUFORT		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	18	1	MVT, Unintentional	63	1	MVT, Unintentional	663
2	Firearm, Self inflicted	5	2	Poisoning, Self inflicted	32	2	Fall, Unintentional	512
3	Poisoning, Unintentional; Firearm, Assault	3	3	Fall, Unintentional	20	3	Overexertion, Unintentional	488
4	Struck, Unintentional	2	4	Other spec/class, Unintentional	13	4	Struck, Unintentional	486
5	Other spec/class, Assault; Other spec/NEC, Assault; Other land transport, Unintentional; Firearm, Undetermined; Drowning, Unintentional; Cut/ Pierce, Self inflicted	1	5	Transport, other, Unintentional	12	5	Cut/ Pierce, Unintentional	352
	Other	0		Other	75		Other	1,285
TOTAL		37	TOTAL		215	TOTAL		3,786

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* BERTIE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* BERTIE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* BERTIE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	14	1	MVT, Unintentional	36	1	MVT, Unintentional	249
2	Fire/ Burn, Unintentional; Cut/ Pierce, Assault	2	2	Other spec/class, Unintentional	11	2	Struck, Unintentional	99
3	Suffocation, Self inflicted; Firearm, Self inflicted; Firearm, Assault	1	3	Fall, Unintentional	10	3	Fall, Unintentional	83
4			4	Unspecified, Unintentional	9	4	Overexertion, Unintentional	69
5			5	Poisoning, Self inflicted	8	5	Unspecified, Unintentional	54
	Other	0		Other	30		Other	236
TOTAL		21	TOTAL		104	TOTAL		790

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* BLADEN			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* BLADEN			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* BLADEN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	16	1	MVT, Unintentional	90	1	MVT, Unintentional	464
2	Firearm, Assault	7	2	Other spec/class, Unintentional	22	2	Unspecified, Unintentional	270
3	Poisoning, Unintentional	4	3	Poisoning, Self inflicted	21	3	Fall, Unintentional	238
4	Firearm, Unintentional; Firearm, Self inflicted	2	4	Fall, Unintentional; Cut/ Pierce, Self inflicted	12	4	Struck, Unintentional	189
5	Suffocation, Self inflicted; Poisoning, Undetermined; Fall, Unintentional; Drowning, Unintentional	1	5	Unspecified, Unintentional	11	5	Overexertion, Unintentional	180
	Other	0		Other	84		Other	645
TOTAL		35	TOTAL		252	TOTAL		1,986

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* BRUNSWICK			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* BRUNSWICK			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* BRUNSWICK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	42	1	MVT, Unintentional	150	1	MVT, Unintentional	824
2	Poisoning, Unintentional	23	2	Poisoning, Self inflicted	68	2	Fall, Unintentional	477
3	Firearm, Self inflicted	9	3	Fall, Unintentional	58	3	Struck, Unintentional; Overexertion, Unintentional	296
4	Firearm, Assault; Cut/ Pierce, Assault	6	4	Other spec/class, Unintentional	48	4	Unspecified, Unintentional	251
5	Suffocation, Self inflicted; Other spec/class, Unintentional	2	5	Transport, other, Unintentional	25	5	Cut/ Pierce, Unintentional	189
	Other	8		Other	190		Other	779
TOTAL		98	TOTAL		539	TOTAL		3,112

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* BUNCOMBE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* BUNCOMBE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* BUNCOMBE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	49	1	MVT, Unintentional	259	1	MVT, Unintentional	1,272
2	Poisoning, Unintentional	43	2	Fall, Unintentional	118	2	Fall, Unintentional	740
3	Firearm, Self inflicted	18	3	Poisoning, Self inflicted	113	3	Struck, Unintentional	339
4	Firearm, Assault	13	4	Other spec/class, Unintentional	57	4	Struck, Assault	323
5	Poisoning, Self inflicted	7	5	Unspecified, Unintentional	46	5	Overexertion, Unintentional	282
	Other	33		Other	305		Other	1,670
TOTAL		163	TOTAL		898	TOTAL		4,626

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* BURKE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* BURKE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* BURKE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional; MVT, Unintentional	29	1	Poisoning, Self inflicted	186	1	Fall, Unintentional	1,066
2	Firearm, Self inflicted; Firearm, Assault	5	2	MVT, Unintentional	126	2	MVT, Unintentional	1,044
3	Suffocation, Self inflicted	4	3	Fall, Unintentional	48	3	Struck, Unintentional	796
4	Unspecified, Assault	3	4	Other spec/class, Unintentional	46	4	Overexertion, Unintentional	677
5	Transport, other, Unintentional; Struck, Unintentional; Poisoning, Self inflicted; Fire/ Burn, Unintentional; Cut/ Pierce, Assault	1	5	Transport, other, Unintentional	27	5	Cut/ Pierce, Unintentional	587
	Other	0		Other	208		Other	2,358
TOTAL		80	TOTAL		641	TOTAL		6,528

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* CABARRUS			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* CABARRUS			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* CABARRUS		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	34	1	MVT, Unintentional	217	1	MVT, Unintentional	1,234
2	MVT, Unintentional	27	2	Poisoning, Self inflicted	135	2	Struck, Unintentional	965
3	Firearm, Assault	10	3	Poisoning, Unintentional	78	3	Fall, Unintentional	962
4	Suffocation, Self inflicted	7	4	Fall, Unintentional	72	4	Overexertion, Unintentional	923
5	Firearm, Self inflicted	6	5	Other spec/class, Unintentional	55	5	Unspecified, Unintentional	607
	Other	12		Other	314		Other	2,389
TOTAL		96	TOTAL		871	TOTAL		7,080

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* CALDWELL			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* CALDWELL			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* CALDWELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	21	1	MVT, Unintentional	108	1	Fall, Unintentional	384
2	Poisoning, Unintentional	11	2	Poisoning, Self inflicted	97	2	MVT, Unintentional	356
3	Firearm, Self inflicted	8	3	Fall, Unintentional	43	3	Overexertion, Unintentional	285
4	Suffocation, Self inflicted; Poisoning, Self inflicted; Firearm, Unintentional	3	4	Other spec/class, Unintentional	31	4	Struck, Unintentional	277
5	Firearm, Assault; Drowning, Unintentional	2	5	Transport, other, Unintentional; Poisoning, Unintentional	23	5	Cut/ Pierce, Unintentional	173
	Other	7		Other	142		Other	663
TOTAL		60	TOTAL		467	TOTAL		2,138

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* CAMDEN			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* CAMDEN			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* CAMDEN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	3	1	Poisoning, Self inflicted	7	1	MVT, Unintentional	19
2	Poisoning, Unintentional	2	2	Fall, Unintentional	5	2	Fall, Unintentional	11
3			3	MVT, Unintentional	3	3	Struck, Unintentional	9
4			4	Natural/ Environ, Unintentional	2	4	Overexertion, Unintentional	5
5			5	Unspecified, Unintentional; Transport,other, Unintentional; Struck, Assault; Poisoning, Unintentional; Pedal cyclist, other, Unintentional; Cut/ Pierce, Unintentional; Cut/ Pierce, Self inflicted	1	5	Transport, other, Unintentional	4
	Other	0		Other	0		Other	9
TOTAL		5	TOTAL		24	TOTAL		57

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* CARTERET			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* CARTERET			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* CARTERET		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	16	1	Poisoning, Self inflicted	63	1	Overexertion, Unintentional	638
2	Poisoning, Unintentional	12	2	MVT, Unintentional	51	2	Struck, Unintentional	614
3	Firearm, Self inflicted	8	3	Fall, Unintentional	32	3	Fall, Unintentional	587
4	Suffocation, Self inflicted; Firearm, Assault; Fire/ Burn, Unintentional	2	4	Poisoning, Unintentional	21	4	MVT, Unintentional	579
5	Transport, other, Unintentional; Struck, Assault; Poisoning, Self inflicted; Natural/ Environ, Unintentional; Firearm, Unintentional; Fire/ Burn, Undetermined; Drowning, Unintentional	1	5	Other spec/class, Unintentional	16	5	Unspecified, Unintentional	305
	Other	0		Other	124		Other	1,413
TOTAL		49	TOTAL		307	TOTAL		4,136

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* CASWELL			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* CASWELL			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* CASWELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	11	1	MVT, Unintentional	15	1	MVT, Unintentional	100
2	Poisoning, Unintentional	4	2	Fall, Unintentional	7	2	Struck, Unintentional	82
3	Poisoning, Self inflicted; Firearm, Self inflicted; Firearm, Assault	1	3	Poisoning, Self inflicted	5	3	Fall, Unintentional	77
4			4	Transport, other, Unintentional; Poisoning, Unintentional; Other spec/class, Unintentional; Natural/ Environ, Unintentional	4	4	Overexertion, Unintentional	74
5			5	Fire/ Burn, Unintentional; Cut/ Pierce, Assault	3	5	Cut/ Pierce, Unintentional	50
	Other	0		Other	10		Other	201
TOTAL		18	TOTAL		59	TOTAL		584

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* CATAWBA			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* CATAWBA			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* CATAWBA		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	47	1	Poisoning, Self inflicted	242	1	MVT, Unintentional	1,193
2	Poisoning, Unintentional	27	2	MVT, Unintentional	189	2	Fall, Unintentional	1,035
3	Firearm, Assault	10	3	Cut/ Pierce, Self inflicted	67	3	Overexertion, Unintentional	883
4	Firearm, Self inflicted	9	4	Fall, Unintentional	63	4	Struck, Unintentional	838
5	Suffocation, Self inflicted	5	5	Other spec/class, Unintentional	55	5	Unspecified, Unintentional	550
	Other	19		Other	272		Other	2,036
TOTAL		117	TOTAL		888	TOTAL		6,535

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* CHATHAM			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* CHATHAM			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* CHATHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	29	1	MVT, Unintentional	83	1	MVT, Unintentional	277
2	Firearm, Self inflicted	4	2	Poisoning, Self inflicted	33	2	Overexertion, Unintentional	265
3	Poisoning, Unintentional; Poisoning, Self inflicted; Pedestrian, other, Unintentional; Cut/ Pierce, Assault	2	3	Other spec/class, Unintentional	18	3	Fall, Unintentional	256
4	Firearm, Assault; Drowning, Unintentional; Cut/ Pierce, Unintentional	1	4	Fall, Unintentional	17	4	Cut/ Pierce, Unintentional	241
5	Other	0	5	Transport, other, Unintentional	14	5	Struck, Unintentional	230
TOTAL		44	TOTAL	Other	66	TOTAL	Other	624
				TOTAL	231		TOTAL	1,893

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* CHEROKEE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* CHEROKEE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* CHEROKEE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	15	1	Poisoning, Unintentional	19	1	MVT, Unintentional	184
2	MVT, Unintentional	7	2	Poisoning, Self inflicted	17	2	Fall, Unintentional	104
3	Firearm, Self inflicted	4	3	MVT, Unintentional	14	3	Struck, Unintentional	54
4	Suffocation, Self inflicted	2	4	Fall, Unintentional	11	4	Transport, other, Unintentional; Struck, Assault	39
5	Unspecified, Unintentional; Poisoning, Undetermined; Poisoning, Assault; Firearm, Assault	1	5	Struck, Unintentional	7	5	Other spec/not class, Unintentional	27
	Other	0		Other	38		Other	181
TOTAL		32	TOTAL	TOTAL	106	TOTAL	TOTAL	628

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* CHOWAN			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* CHOWAN			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* CHOWAN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	4	1	MVT, Unintentional	13	1	MVT, Unintentional	128
2	Firearm, Assault	2	2	Poisoning, Self inflicted	7	2	Struck, Unintentional	82
3			3	Fall, Unintentional	5	3	Overexertion, Unintentional	76
4			4	Struck, Assault	3	4	Fall, Unintentional	73
5			5	Unspecified, Assault; Struck, Unintentional; Poisoning, Undetermined; Firearm, Unintentional; Firearm, Assault; Cut/ Pierce, Assault	2	5	Unspecified, Unintentional; Cut/ Pierce, Unintentional	54
	Other	0		Other	5		Other	162
TOTAL		6	TOTAL		45	TOTAL		629

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* CLAY			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* CLAY			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* CLAY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional; MVT, Unintentional	3	1	Poisoning, Self inflicted	7	1	MVT, Unintentional	49
2	Firearm, Self inflicted; Drowning, Unintentional; Cut/ Pierce, Self inflicted	1	2	Struck, Unintentional; MVT, Unintentional	4	2	Fall, Unintentional	33
3			3	Natural/ Environ, Unintentional	3	3	Transport, other, Unintentional	16
4			4	Transport, other, Unintentional; Struck, Assault	2	4	Overexertion, Unintentional	14
5			5	Unspecified, Assault; Poisoning, Unintentional; Other spec/not class, Unintentional; Firearm, Unintentional; Fall, Unintentional; Cut/ Pierce, Self inflicted	1	5	Unspecified, Unintentional	11
	Other	0		Other	0		Other	66
TOTAL		9	TOTAL		28	TOTAL		189

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* CLEVELAND			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* CLEVELAND			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* CLEVELAND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	30	1	MVT, Unintentional	172	1	MVT, Unintentional	1,511
2	Firearm, Assault	15	2	Poisoning, Self inflicted	124	2	Overexertion, Unintentional	1,311
3	Poisoning, Unintentional	12	3	Other spec/class, Unintentional	60	3	Fall, Unintentional	1,202
4	Firearm, Self inflicted	5	4	Fall, Unintentional	48	4	Struck, Unintentional	987
5	Unspecified, Unintentional; Poisoning, Self inflicted	2	5	Poisoning, Unintentional	42	5	Cut/ Pierce, Unintentional	623
	Other	7		Other	310		Other	2,877
TOTAL		73	TOTAL		756	TOTAL		8,511

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* COLUMBUS			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* COLUMBUS			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* COLUMBUS		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	28	1	MVT, Unintentional	122	1	MVT, Unintentional	624
2	Firearm, Assault	18	2	Other spec/class, Unintentional	49	2	Fall, Unintentional	285
3	Poisoning, Unintentional	7	3	Poisoning, Self inflicted	34	3	Struck, Unintentional	284
4	Natural/ Environ, Unintentional; Firearm, Self inflicted	5	4	Transport, other, Unintentional; Natural/ Environ, Unintentional; Fall, Unintentional	15	4	Overexertion, Unintentional	250
5	Fire/ Burn, Unintentional	4	5	Poisoning, Unintentional	14	5	Cut/ Pierce, Unintentional	169
	Other	6		Other	133		Other	667
TOTAL		73	TOTAL		397	TOTAL		2,279

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* CRAVEN			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* CRAVEN			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* CRAVEN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	24	1	MVT, Unintentional	140	1	MVT, Unintentional	990
2	Poisoning, Unintentional	18	2	Poisoning, Self inflicted	119	2	Overexertion, Unintentional	962
3	Firearm, Assault	10	3	Fall, Unintentional	69	3	Struck, Unintentional	808
4	Suffocation, Self inflicted	6	4	Other spec/class, Unintentional	38	4	Fall, Unintentional	785
5	Firearm, Self inflicted	4	5	Poisoning, Unintentional	35	5	Unspecified, Unintentional	574
	Other	15		Other	239		Other	1,937
TOTAL		77	TOTAL		640	TOTAL		6,056

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* CUMBERLAND			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* CUMBERLAND			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* CUMBERLAND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	111	1	MVT, Unintentional	485	1	MVT, Unintentional	2,155
2	Firearm, Assault	45	2	Poisoning, Self inflicted	359	2	Fall, Unintentional	988
3	Firearm, Self inflicted	38	3	Cut/ Pierce, Self inflicted	117	3	Struck, Unintentional	869
4	Poisoning, Unintentional	27	4	Other spec/class, Unintentional	112	4	Overexertion, Unintentional	796
5	Suffocation, Self inflicted	8	5	Fall, Unintentional	102	5	Unspecified, Unintentional	746
	Other	49		Other	787		Other	2,856
TOTAL		278	TOTAL		1,962	TOTAL		8,410

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* CURRITUCK			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* CURRITUCK			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* CURRITUCK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	11	1	Poisoning, Self inflicted	11	1	MVT, Unintentional	46
2	Suffocation, Self inflicted; Poisoning, Self inflicted	2	2	MVT, Unintentional	8	2	Fall, Unintentional	37
3	Poisoning, Unintentional; Firearm, Self inflicted; Drowning, Unintentional	1	3	Unspecified, Unintentional; Fall, Unintentional	4	3	Overexertion, Unintentional	35
4			4	Transport, other, Unintentional; Cut/ Pierce, Unintentional	2	4	Cut/ Pierce, Unintentional	22
5			5	Struck, Unintentional; Struck, Assault; Poisoning, Unintentional; Poisoning, Undetermined; Other spec/not class, Unintentional; Other spec/class, Unintentional; Natural/ Environ, Unintentional; Firearm, Unintentional; Firearm, Assault; Cut/ Pierce, Undetermined	1	5	Struck, Unintentional	21
	Other	0		Other	0		Other	75
TOTAL		18	TOTAL		41	TOTAL		236

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* DARE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* DARE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* DARE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	11	1	MVT, Unintentional	15	1	MVT, Unintentional	195
2	Poisoning, Unintentional	7	2	Fall, Unintentional	14	2	Struck, Unintentional	185
3	Drowning, Unintentional	3	3	Transport, other, Unintentional; Poisoning, Self inflicted	7	3	Fall, Unintentional	177
4	Firearm, Self inflicted	2	4	Unspecified, Unintentional; Struck, Unintentional	3	4	Overexertion, Unintentional	149
5	Poisoning, Self inflicted; Other spec/class, Unintentional; Firearm, Assault; Fall, Unintentional; Drowning, Self inflicted	1	5	Struck, Assault; Poisoning, Unintentional; Poisoning, Undetermined; Overexertion, Unintentional; Other spec/not class, Assault; Other spec/class, Unintentional; Natural/ Environ, Unintentional; Cut/ Pierce, Self inflicted	2	5	Cut/ Pierce, Unintentional	127
	Other	0		Other	3		Other	366
TOTAL		28	TOTAL		68	TOTAL		1,199

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* DAVIDSON			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* DAVIDSON			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* DAVIDSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	48	1	MVT, Unintentional	208	1	Overexertion, Unintentional	1,561
2	Poisoning, Unintentional	30	2	Poisoning, Self inflicted	114	2	Fall, Unintentional	1,524
3	Firearm, Self inflicted	16	3	Fall, Unintentional	51	3	Struck, Unintentional	1,485
4	Suffocation, Self inflicted	14	4	Other spec/class, Unintentional	35	4	MVT, Unintentional	1,438
5	Firearm, Assault	9	5	Poisoning, Unintentional	33	5	Cut/ Pierce, Unintentional	805
	Other	15		Other	226		Other	3,370
TOTAL		132	TOTAL		667	TOTAL		10,183

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* DAVIE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* DAVIE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* DAVIE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	13	1	MVT, Unintentional	54	1	MVT, Unintentional	249
2	Poisoning, Unintentional	8	2	Poisoning, Self inflicted	37	2	Fall, Unintentional	154
3	Suffocation, Self inflicted	4	3	Fall, Unintentional	18	3	Struck, Unintentional	142
4	Unspecified, Unintentional; Unspecified, Assault; Poisoning, Undetermined; Poisoning, Self inflicted; Other spec/class, Unintentional; Other land transport, Unintentional; Firearm, Self inflicted; Firearm, Assault; Fire/ Burn, Self inflicted	1	4	Poisoning, Undetermined; Other spec/class, Unintentional	10	4	Overexertion, Unintentional	128
5	Other	0	5	Poisoning, Unintentional	9	5	Unspecified, Unintentional	95
TOTAL		34	TOTAL		204	TOTAL	Other	312
							1,080	

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* DUPLIN			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* DUPLIN			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* DUPLIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	21	1	MVT, Unintentional	88	1	MVT, Unintentional	718
2	Firearm, Self inflicted; Firearm, Assault	7	2	Poisoning, Self inflicted	36	2	Fall, Unintentional	375
3	Poisoning, Unintentional	4	3	Fall, Unintentional	18	3	Overexertion, Unintentional	370
4	Drowning, Unintentional	3	4	Unspecified, Unintentional; Other spec/class, Unintentional	15	4	Struck, Unintentional	334
5	Cut/ Pierce, Assault	2	5	Struck, Unintentional; Machinery, Unintentional	12	5	Cut/ Pierce, Unintentional	265
	Other	7		Other	97		Other	981
TOTAL		51	TOTAL		293	TOTAL		3,043

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* DURHAM			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* DURHAM			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* DURHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Firearm, Assault	66	1	MVT, Unintentional	261	1	MVT, Unintentional	1,858
2	MVT, Unintentional	43	2	Poisoning, Self inflicted	180	2	Overexertion, Unintentional	1,565
3	Poisoning, Unintentional	12	3	Fall, Unintentional	137	3	Struck, Unintentional	1,294
4	Suffocation, Self inflicted; Firearm, Self inflicted	9	4	Firearm, Assault	132	4	Cut/ Pierce, Unintentional	950
5	Cut/ Pierce, Assault	7	5	Other spec/class, Unintentional	67	5	Fall, Unintentional	783
	Other	26		Other	549		Other	2,221
TOTAL		172	TOTAL		1,326	TOTAL		8,671

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* EDGEcombe			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* EDGEcombe			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* EDGEcombe		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	25	1	MVT, Unintentional	93	1	MVT, Unintentional	420
2	Firearm, Assault	14	2	Poisoning, Self inflicted	40	2	Fall, Unintentional	229
3	Firearm, Self inflicted	10	3	Fall, Unintentional	25	3	Struck, Unintentional	176
4	Poisoning, Self inflicted	2	4	Firearm, Assault	24	4	Overexertion, Unintentional	170
5	Unspecified, Unintentional; Suffocation, Unintentional; Suffocation, Self inflicted; Poisoning, Unintentional; Pedestrian, other, Unintentional; Other spec/NEC, Assault; Other land transport, Unintentional; Cut/ Pierce, Assault	1	5	Other spec/class, Unintentional	17	5	Unspecified, Unintentional	152
	Other	0		Other	140		Other	724
TOTAL		59	TOTAL		339	TOTAL		1,871

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* FORSYTH			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* FORSYTH			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* FORSYTH		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	57	1	MVT, Unintentional	436	1	MVT, Unintentional	3,262
2	Poisoning, Unintentional	39	2	Poisoning, Self inflicted	392	2	Fall, Unintentional	2,487
3	Firearm, Assault	37	3	Fall, Unintentional	182	3	Overexertion, Unintentional	2,443
4	Firearm, Self inflicted	24	4	Poisoning, Undetermined	80	4	Struck, Unintentional	2,321
5	Suffocation, Self inflicted	14	5	Poisoning, Unintentional	77	5	Unspecified, Unintentional	1,516
	Other	39		Other	709		Other	6,021
TOTAL		210	TOTAL		1,876	TOTAL		18,050

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* FRANKLIN			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* FRANKLIN			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* FRANKLIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	21	1	MVT, Unintentional	90	1	MVT, Unintentional	606
2	Poisoning, Unintentional	7	2	Fall, Unintentional	21	2	Overexertion, Unintentional	487
3	Firearm, Self inflicted	4	3	Other spec/class, Unintentional	19	3	Struck, Unintentional	431
4	Firearm, Assault	3	4	Poisoning, Self inflicted	16	4	Fall, Unintentional	429
5	Drowning, Unintentional	2	5	Transport, other, Unintentional	12	5	Unspecified, Unintentional	314
	Other	6		Other	86		Other	1,013
TOTAL		43	TOTAL		244	TOTAL		3,280

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* GASTON			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* GASTON			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* GASTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	63	1	MVT, Unintentional	308	1	MVT, Unintentional	950
2	Poisoning, Unintentional	48	2	Poisoning, Self inflicted	276	2	Fall, Unintentional	866
3	Firearm, Assault	16	3	Other spec/class, Unintentional	90	3	Overexertion, Unintentional	832
4	Firearm, Self inflicted	14	4	Fall, Unintentional	88	4	Struck, Unintentional	644
5	Suffocation, Self inflicted	12	5	Cut/ Pierce, Self inflicted	78	5	Unspecified, Unintentional	484
	Other	23		Other	546		Other	1,922
TOTAL		176	TOTAL		1,386	TOTAL		5,698

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* GATES			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* GATES			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* GATES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional; Drowning, Self inflicted	1	1	MVT, Unintentional	6	1	MVT, Unintentional	36
2			2	Poisoning, Self inflicted	4	2	Fall, Unintentional	21
3			3	Transport, other, Unintentional; Other spec/class, Unintentional	2	3	Struck, Unintentional	20
4			4	Unspecified, Unintentional; Poisoning, Unintentional	1	4	Overexertion, Unintentional	17
5			5			5	Natural/ Environ, Unintentional	10
	Other	0		Other	0		Other	44
TOTAL		2	TOTAL		16	TOTAL		148

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* GRAHAM			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* GRAHAM			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* GRAHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Firearm, Assault	4	1	MVT, Unintentional	10	1	MVT, Unintentional	53
2	MVT, Unintentional; Firearm, Self inflicted	2	2	Poisoning, Unintentional	7	2	Fall, Unintentional	49
3	Suffocation, Self inflicted; Fall, Unintentional	1	3	Poisoning, Self inflicted; Fall, Unintentional	5	3	Struck, Unintentional	38
4			4	Unspecified, Unintentional; Struck, Unintentional	3	4	Overexertion, Unintentional	22
5			5	Unspecified, Assault; Struck, Assault; Other spec/not class, Unintentional; Other spec/class, Unintentional	2	5	Other spec/not class, Unintentional	21
	Other	0		Other	3		Other	88
TOTAL		10	TOTAL		44	TOTAL		271

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* GRANVILLE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* GRANVILLE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* GRANVILLE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	20	1	MVT, Unintentional	74	1	Overexertion, Unintentional	455
2	Poisoning, Unintentional; Firearm, Self inflicted; Firearm, Assault; Drowning, Unintentional	2	2	Poisoning, Self inflicted	36	2	MVT, Unintentional	433
3	Pedestrian, other, Unintentional; Fire/ Burn, Unintentional; Cut/ Pierce, Assault	1	3	Fall, Unintentional	24	3	Struck, Unintentional	378
4			4	Other spec/class, Unintentional	18	4	Fall, Unintentional	344
5			5	Transport, other, Unintentional	11	5	Cut/ Pierce, Unintentional	214
	Other	0		Other	93		Other	831
TOTAL		31	TOTAL		256	TOTAL		2,655

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* GREENE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* GREENE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* GREENE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	8	1	MVT, Unintentional	39	1	MVT, Unintentional	219
2	Firearm, Assault	7	2	Poisoning, Self inflicted	9	2	Fall, Unintentional	119
3	Firearm, Self inflicted	4	3	Fall, Unintentional	8	3	Struck, Unintentional	111
4	Poisoning, Unintentional	2	4	Other spec/class, Unintentional; Firearm, Assault	7	4	Overexertion, Unintentional	106
5			5	Cut/ Pierce, Self inflicted	4	5	Cut/ Pierce, Unintentional	66
	Other	0		Other	35		Other	283
TOTAL		21	TOTAL		109	TOTAL		904

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* GUILFORD			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* GUILFORD			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* GUILFORD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	101	1	MVT, Unintentional	670	1	MVT, Unintentional	3,633
2	Firearm, Assault	59	2	Poisoning, Self inflicted	490	2	Fall, Unintentional	2,189
3	Poisoning, Unintentional	37	3	Fall, Unintentional	254	3	Struck, Unintentional	1,736
4	Firearm, Self inflicted	29	4	Firearm, Assault	152	4	Unspecified, Unintentional	1,449
5	Suffocation, Self inflicted	9	5	Poisoning, Unintentional	116	5	Overexertion, Unintentional	1,400
	Other	58		Other	1,020		Other	5,797
TOTAL		293	TOTAL		2,702	TOTAL		16,204

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* HALIFAX			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* HALIFAX			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* HALIFAX		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	24	1	MVT, Unintentional	95	1	MVT, Unintentional	885
2	Firearm, Assault	8	2	Poisoning, Self inflicted	89	2	Fall, Unintentional	604
3	Poisoning, Unintentional	5	3	Transport, other, Unintentional	22	3	Unspecified, Unintentional	465
4	Firearm, Self inflicted	2	4	Fall, Unintentional	20	4	Struck, Unintentional	412
5	Suffocation, Self inflicted; Poisoning, Self inflicted; Pedestrian, other, Unintentional; Other spec/NEC, Assault; Other land transport, Unintentional; Fire/ Burn, Unintentional; Cut/ Pierce, Assault	1	5	Cut/ Pierce, Self inflicted	19	5	Struck, Assault	358
	Other	0		Other	150		Other	1,642
TOTAL		46	TOTAL		395	TOTAL		4,366

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* HARNETT			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* HARNETT			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* HARNETT		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	42	1	MVT, Unintentional	153	1	MVT, Unintentional	1,211
2	Firearm, Self inflicted	9	2	Poisoning, Self inflicted	81	2	Fall, Unintentional	826
3	Firearm, Assault	8	3	Fall, Unintentional	43	3	Struck, Unintentional	718
4	Poisoning, Unintentional	7	4	Other spec/class, Unintentional	42	4	Overexertion, Unintentional	606
5	Cut/ Pierce, Assault	3	5	Struck, Unintentional	29	5	Cut/ Pierce, Unintentional	489
	Other	11		Other	240		Other	2,145
TOTAL		80	TOTAL		588	TOTAL		5,995

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* HAYWOOD			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* HAYWOOD			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* HAYWOOD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	18	1	Poisoning, Self inflicted	61	1	Fall, Unintentional	796
2	Poisoning, Unintentional	13	2	MVT, Unintentional	55	2	MVT, Unintentional	611
3	Firearm, Self inflicted	4	3	Fall, Unintentional	25	3	Struck, Unintentional	582
4	Poisoning, Self inflicted	3	4	Poisoning, Undetermined	23	4	Unspecified, Unintentional	542
5	Suffocation, Self inflicted; Firearm, Assault	2	5	Poisoning, Unintentional	17	5	Overexertion, Unintentional	491
	Other	4		Other	115		Other	1,597
TOTAL		46	TOTAL		296	TOTAL		4,619

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* HENDERSON			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* HENDERSON			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* HENDERSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	23	1	MVT, Unintentional	142	1	MVT, Unintentional	262
2	Poisoning, Unintentional	15	2	Poisoning, Self inflicted	123	2	Fall, Unintentional	200
3	Firearm, Assault	4	3	Fall, Unintentional	57	3	Overexertion, Unintentional	92
4	Poisoning, Self inflicted	3	4	Poisoning, Undetermined	33	4	Struck, Unintentional	79
5	Drowning, Unintentional; Cut/ Pierce, Assault	2	5	Poisoning, Unintentional	29	5	Unspecified, Unintentional	70
	Other	2		Other	165		Other	417
TOTAL		51	TOTAL		549	TOTAL		1,120

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* HERTFORD			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* HERTFORD			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* HERTFORD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	16	1	MVT, Unintentional	37	1	MVT, Unintentional	423
2	Firearm, Assault	4	2	Poisoning, Self inflicted	17	2	Fall, Unintentional	158
3	Poisoning, Self inflicted; Firearm, Self inflicted	2	3	Unspecified, Unintentional	11	3	Struck, Unintentional	155
4	Unspecified, Unintentional; Poisoning, Unintentional	1	4	Fall, Unintentional	10	4	Overexertion, Unintentional	128
5			5	Struck, Unintentional	7	5	Struck, Assault	96
	Other	0		Other	33		Other	406
TOTAL		26	TOTAL		115	TOTAL		1,366

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* HOKE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* HOKE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* HOKE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	23	1	MVT, Unintentional	67	1	MVT, Unintentional	344
2	Firearm, Assault	8	2	Poisoning, Self inflicted	32	2	Fall, Unintentional	183
3	Drowning, Unintentional	2	3	Struck, Assault	13	3	Struck, Unintentional	147
4	Suffocation, Assault; Poisoning, Unintentional; Poisoning, Self inflicted; Pedestrian, other, Unintentional; Other spec/NEC, Self inflicted	1	4	Other spec/class, Unintentional; Fall, Unintentional	12	4	Overexertion, Unintentional	139
5			5	Transport, other, Unintentional; Cut/ Pierce, Self inflicted	10	5	Cut/ Pierce, Unintentional	108
	Other	0		Other	46		Other	514
TOTAL		38	TOTAL		202	TOTAL		1,435

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* HYDE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* HYDE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* HYDE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	2	1	MVT, Unintentional	6	1	MVT, Unintentional	28
2	Firearm, Self inflicted	1	2	Poisoning, Self inflicted	4	2	Overexertion, Unintentional	23
3			3	Other spec/not class, Unintentional; Fall, Unintentional	2	3	Fall, Unintentional	20
4			4	Unspecified, Unintentional; Other spec/class, Unintentional; Firearm, Unintentional; Cut/ Pierce, Assault	1	4	Struck, Unintentional	19
5			5			5	Unspecified, Unintentional	17
	Other	0		Other	0		Other	43
TOTAL		3	TOTAL		18	TOTAL		150

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* IREDELL			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* IREDELL			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* IREDELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	34	1	MVT, Unintentional	225	1	MVT, Unintentional	2,136
2	Poisoning, Unintentional	32	2	Poisoning, Self inflicted	181	2	Overexertion, Unintentional	1,694
3	Firearm, Self inflicted	14	3	Fall, Unintentional	93	3	Struck, Unintentional	1,692
4	Firearm, Assault	12	4	Poisoning, Unintentional	79	4	Fall, Unintentional	1,687
5	Suffocation, Self inflicted; Cut/ Pierce, Assault	3	5	Other spec/class, Unintentional	42	5	Cut/ Pierce, Unintentional	883
	Other	13		Other	302		Other	3,600
TOTAL		111	TOTAL		922	TOTAL		11,692

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* JACKSON			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* JACKSON			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* JACKSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	17	1	MVT, Unintentional	38	1	Fall, Unintentional	315
2	Poisoning, Unintentional	9	2	Poisoning, Self inflicted	25	2	MVT, Unintentional	251
3	Suffocation, Self inflicted; Firearm, Self inflicted	2	3	Fall, Unintentional	19	3	Struck, Unintentional	229
4	Unspecified, Assault; Other spec/NEC, Assault; Firearm, Assault; Fall, Unintentional; Drowning, Unintentional	1	4	Poisoning, Unintentional	18	4	Overexertion, Unintentional	174
5	Other	0	5	Cut/ Pierce, Unintentional	10	5	Cut/ Pierce, Unintentional	171
	Other	0		Other	53		Other	532
TOTAL		35	TOTAL		163	TOTAL		1,672

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* JOHNSTON			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* JOHNSTON			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* JOHNSTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	65	1	MVT, Unintentional	225	1	MVT, Unintentional	1,838
2	Firearm, Assault	15	2	Poisoning, Self inflicted	143	2	Overexertion, Unintentional	1,432
3	Poisoning, Unintentional	10	3	Fall, Unintentional	79	3	Fall, Unintentional	1,349
4	Firearm, Self inflicted	8	4	Other spec/class, Unintentional	67	4	Unspecified, Unintentional	1,226
5	Suffocation, Self inflicted	4	5	Unspecified, Unintentional	52	5	Struck, Unintentional	1,114
	Other	5		Other	333		Other	3,310
TOTAL		107	TOTAL		899	TOTAL		10,269

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* JONES			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* JONES			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* JONES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	6	1	MVT, Unintentional	27	1	MVT, Unintentional	112
2	Poisoning, Unintentional; Firearm, Self inflicted; Firearm, Assault	1	2	Other spec/class, Unintentional	8	2	Struck, Unintentional	56
3			3	Fall, Unintentional	7	3	Overexertion, Unintentional; Fall, Unintentional	54
4			4	Poisoning, Undetermined	4	4	Unspecified, Unintentional	46
5			5	Transport, other, Unintentional; Poisoning, Unintentional; Poisoning, Self inflicted; Fire/ Burn, Unintentional	3	5	Cut/ Pierce, Unintentional	36
	Other	0		Other	13		Other	121
TOTAL		9	TOTAL		71	TOTAL		479

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* LEE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* LEE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* LEE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	27	1	MVT, Unintentional	125	1	MVT, Unintentional	908
2	Firearm, Assault	12	2	Poisoning, Self inflicted	57	2	Fall, Unintentional	520
3	Poisoning, Unintentional	7	3	Other spec/class, Unintentional	38	3	Struck, Unintentional	460
4	Firearm, Self inflicted	5	4	Fall, Unintentional	26	4	Overexertion, Unintentional	406
5	Poisoning, Self inflicted	2	5	Firearm, Assault	23	5	Unspecified, Unintentional	371
	Other	11		Other	174		Other	1,400
TOTAL		64	TOTAL		443	TOTAL		4,065

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* LENOIR			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* LENOIR			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* LENOIR		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	15	1	MVT, Unintentional	96	1	MVT, Unintentional	875
2	Firearm, Assault	11	2	Poisoning, Self inflicted	48	2	Overexertion, Unintentional	819
3	Firearm, Self inflicted	5	3	Fall, Unintentional	33	3	Fall, Unintentional	625
4	Poisoning, Unintentional	3	4	Struck, Assault	23	4	Struck, Unintentional	539
5	Suffocation, Self inflicted	2	5	Firearm, Assault	19	5	Cut/ Pierce, Unintentional	360
	Other	6		Other	169		Other	1,583
TOTAL		42	TOTAL		388	TOTAL		4,801

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* LINCOLN			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* LINCOLN			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* LINCOLN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	27	1	MVT, Unintentional	123	1	MVT, Unintentional	951
2	Poisoning, Unintentional	13	2	Poisoning, Self inflicted	93	2	Overexertion, Unintentional	884
3	Firearm, Assault	7	3	Other spec/class, Unintentional	37	3	Fall, Unintentional	784
4	Poisoning, Self inflicted; Firearm, Self inflicted	4	4	Fall, Unintentional	32	4	Struck, Unintentional	720
5	Suffocation, Self inflicted	3	5	Unspecified, Unintentional	20	5	Cut/ Pierce, Unintentional	459
	Other	7		Other	138		Other	1,548
TOTAL		65	TOTAL		443	TOTAL		5,346

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* McDOWELL			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* McDOWELL			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* McDOWELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	12	1	Poisoning, Self inflicted	60	1	MVT, Unintentional	435
2	MVT, Unintentional	8	2	MVT, Unintentional	39	2	Fall, Unintentional	271
3	Firearm, Self inflicted	4	3	Fall, Unintentional	34	3	Struck, Assault	150
4	Cut/ Pierce, Assault	2	4	Poisoning, Unintentional	27	4	Struck, Unintentional	144
5	Poisoning, Self inflicted; Firearm, Unintentional; Firearm, Assault; Drowning, Unintentional	1	5	Other spec/class, Unintentional	15	5	Overexertion, Unintentional	106
	Other	0		Other	79		Other	487
TOTAL		30	TOTAL		254	TOTAL		1,593

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* MACON			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* MACON			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* MACON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	13	1	MVT, Unintentional	32	1	Fall, Unintentional	303
2	MVT, Unintentional; Firearm, Self inflicted	6	2	Fall, Unintentional	16	2	Struck, Unintentional	268
3	Suffocation, Unintentional; Suffocation, Self inflicted; Poisoning, Self inflicted; Fall, Unintentional; Drowning, Unintentional	1	3	Poisoning, Self inflicted	13	3	Cut/ Pierce, Unintentional	244
4			4	Unspecified, Unintentional; Transport, other, Unintentional	5	4	MVT, Unintentional	226
5			5	Poisoning, Undetermined; Cut/ Pierce, Unintentional	4	5	Overexertion, Unintentional	220
	Other	0		Other	16		Other	623
TOTAL		30	TOTAL		95	TOTAL		1,884

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* MADISON			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* MADISON			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* MADISON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	5	1	MVT, Unintentional	19	1	MVT, Unintentional	119
2	Poisoning, Unintentional; Drowning, Unintentional	3	2	Other spec/class, Unintentional	11	2	Fall, Unintentional	41
3	Firearm, Self inflicted	2	3	Poisoning, Self inflicted	7	3	Struck, Unintentional	23
4	Unspecified, Assault; Poisoning, Undetermined; Firearm, Unintentional; Fall, Unintentional	1	4	Fall, Unintentional	5	4	Transport, other, Unintentional	22
5			5	Struck, Assault; Poisoning, Unintentional; Poisoning, Undetermined	3	5	Unspecified, Unintentional	20
	Other	0		Other	17		Other	137
TOTAL		17	TOTAL		68	TOTAL		362

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* MARTIN			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* MARTIN			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* MARTIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	9	1	MVT, Unintentional	26	1	MVT, Unintentional	138
2	Firearm, Self inflicted	3	2	Poisoning, Self inflicted	19	2	Fall, Unintentional	68
3	Firearm, Assault	2	3	Unspecified, Unintentional; Poisoning, Undetermined	7	3	Struck, Unintentional	53
4	Poisoning, Unintentional; Poisoning, Undetermined; Poisoning, Self inflicted; Drowning, Unintentional	1	4	Firearm, Assault	6	4	Cut/ Pierce, Unintentional	49
5	Other	0	5	Fall, Unintentional	5	5	Overexertion, Unintentional	47
TOTAL		18	TOTAL		104	TOTAL	Other	197
							TOTAL	552

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* MECKLENBURG			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* MECKLENBURG			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* MECKLENBURG		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	170	1	MVT, Unintentional	917	1	MVT, Unintentional	10,128
2	Firearm, Assault	165	2	Poisoning, Self inflicted	574	2	Fall, Unintentional	6,039
3	Poisoning, Unintentional	66	3	Fall, Unintentional	454	3	Struck, Unintentional	5,448
4	Firearm, Self inflicted	51	4	Firearm, Assault	247	4	Overexertion, Unintentional	4,664
5	Suffocation, Self inflicted	20	5	Other spec/class, Unintentional	236	5	Unspecified, Unintentional	4,198
	Other	82		Other	1,694		Other	15,686
TOTAL		554	TOTAL		4,122	TOTAL		46,163

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* MITCHELL			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* MITCHELL			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* MITCHELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Firearm, Self inflicted	5	1	Poisoning, Self inflicted; MVT, Unintentional	13	1	MVT, Unintentional	82
2	MVT, Unintentional	4	2	Poisoning, Unintentional; Fall, Unintentional	9	2	Fall, Unintentional	67
3	Poisoning, Unintentional	3	3	Other spec/class, Unintentional	4	3	Struck, Assault	18
4	Suffocation, Self inflicted; Firearm, Assault; Fall, Unintentional	1	4	Overexertion, Unintentional; Cut/ Pierce, Self inflicted	3	4	Unspecified, Unintentional; Overexertion, Unintentional	16
5			5	Poisoning, Undetermined	2	5	Struck, Unintentional; Natural/ Environ, Unintentional	15
	Other	0		Other	6		Other	75
TOTAL		15	TOTAL		62	TOTAL		304

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* MONTGOMERY			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* MONTGOMERY			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* MONTGOMERY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	9	1	MVT, Unintentional	43	1	MVT, Unintentional	333
2	Drowning, Unintentional	2	2	Poisoning, Self inflicted	25	2	Overexertion, Unintentional	332
3	Unspecified, Assault; Suffocation, Self inflicted; Poisoning, Unintentional; Machinery, Unintentional; Firearm, Self inflicted; Fire/ Burn, Unintentional; Cut/ Pierce, Assault	1	3	Transport, other, Unintentional	14	3	Fall, Unintentional	290
4			4	Fall, Unintentional	10	4	Struck, Unintentional	286
5			5	Firearm, Unintentional	6	5	Cut/ Pierce, Unintentional	220
	Other	0		Other	52		Other	736
TOTAL		18	TOTAL		150	TOTAL		2,197

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* MOORE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* MOORE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* MOORE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	30	1	MVT, Unintentional	146	1	MVT, Unintentional	1,073
2	Poisoning, Unintentional	9	2	Poisoning, Self inflicted	73	2	Fall, Unintentional	737
3	Firearm, Assault	6	3	Fall, Unintentional	34	3	Overexertion, Unintentional	690
4	Suffocation, Self inflicted	4	4	Cut/ Pierce, Self inflicted	33	4	Struck, Unintentional	640
5	Firearm, Self inflicted	3	5	Transport, other, Unintentional	27	5	Cut/ Pierce, Unintentional	463
	Other	13		Other	171		Other	1,674
TOTAL		65	TOTAL		484	TOTAL		5,277

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* NASH			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* NASH			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* NASH		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	37	1	MVT, Unintentional	134	1	MVT, Unintentional	276
2	Firearm, Assault	17	2	Poisoning, Self inflicted	64	2	Overexertion, Unintentional	151
3	Poisoning, Unintentional; Firearm, Self inflicted	6	3	Fall, Unintentional	36	3	Fall, Unintentional	137
4	Drowning, Unintentional	2	4	Transport, other, Unintentional	30	4	Struck, Unintentional	107
5	Unspecified, Unintentional; Unspecified, Assault; Poisoning, Self inflicted; Other spec/class, Unintentional; Other spec/class, Self inflicted; Cut/ Pierce, Assault	1	5	Cut/ Pierce, Assault	22	5	Unspecified, Unintentional	87
	Other	0		Other	201		Other	346
TOTAL		74	TOTAL		487	TOTAL		1,104

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* NEW HANOVER			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* NEW HANOVER			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* NEW HANOVER		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	44	1	MVT, Unintentional	246	1	MVT, Unintentional	2,658
2	MVT, Unintentional	32	2	Poisoning, Self inflicted	165	2	Fall, Unintentional	1,764
3	Firearm, Assault	24	3	Fall, Unintentional	94	3	Overexertion, Unintentional	1,350
4	Firearm, Self inflicted	16	4	Cut/ Pierce, Self inflicted	64	4	Struck, Unintentional	1,268
5	Suffocation, Self inflicted; Poisoning, Self inflicted	5	5	Other spec/class, Unintentional	60	5	Cut/ Pierce, Unintentional	1,104
	Other	17		Other	417		Other	4,025
TOTAL		143	TOTAL		1,046	TOTAL		12,169

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* NORTHAMPTON			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* NORTHAMPTON			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* NORTHAMPTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	8	1	MVT, Unintentional	38	1	MVT, Unintentional	333
2	Firearm, Assault	4	2	Poisoning, Self inflicted	13	2	Fall, Unintentional	151
3	Poisoning, Unintentional; Firearm, Unintentional; Firearm, Self inflicted; Drowning, Unintentional	1	3	Fall, Unintentional	8	3	Struck, Unintentional	132
4			4	Struck, Assault; Fire/ Burn, Unintentional	6	4	Unspecified, Unintentional	126
5			5	Transport, other, Unintentional; Other spec/class, Unintentional	5	5	Overexertion, Unintentional	112
	Other	0		Other	33		Other	495
TOTAL		16	TOTAL		114	TOTAL		1,349

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* ONSLOW			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* ONSLOW			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* ONSLOW		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	79	1	MVT, Unintentional	252	1	MVT, Unintentional	1,701
2	Poisoning, Unintentional; Firearm, Self inflicted	18	2	Fall, Unintentional	76	2	Fall, Unintentional	1,312
3	Suffocation, Self inflicted	14	3	Poisoning, Self inflicted	64	3	Struck, Unintentional	896
4	Firearm, Assault	7	4	Poisoning, Unintentional	45	4	Overexertion, Unintentional	887
5	Drowning, Unintentional	5	5	Other spec/class, Unintentional	37	5	Cut/ Pierce, Unintentional	681
	Other	17		Other	269		Other	3,269
TOTAL		158	TOTAL		743	TOTAL		8,746

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* ORANGE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* ORANGE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* ORANGE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	19	1	MVT, Unintentional	148	1	MVT, Unintentional	693
2	Poisoning, Unintentional	8	2	Poisoning, Self inflicted	136	2	Fall, Unintentional	663
3	Suffocation, Self inflicted; Firearm, Assault	7	3	Fall, Unintentional	65	3	Struck, Unintentional	613
4	Poisoning, Self inflicted; Firearm, Self inflicted	3	4	Poisoning, Unintentional	53	4	Overexertion, Unintentional	544
5	Drowning, Unintentional	2	5	Other spec/class, Unintentional	31	5	Cut/ Pierce, Unintentional	464
	Other	4		Other	259		Other	1,315
TOTAL		53	TOTAL		692	TOTAL		4,292

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* PAMLICO			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* PAMLICO			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* PAMLICO		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	7	1	MVT, Unintentional	22	1	MVT, Unintentional	100
2	Suffocation, Self inflicted; Poisoning, Unintentional; Firearm, Self inflicted; Firearm, Assault; Fall, Self inflicted	1	2	Poisoning, Self inflicted	10	2	Overexertion, Unintentional	73
3			3	Unspecified, Unintentional; Poisoning, Unintentional	7	3	Fall, Unintentional	69
4			4	Firearm, Unintentional	5	4	Struck, Unintentional	62
5			5	Other spec/class, Unintentional; Fall, Unintentional	4	5	Unspecified, Unintentional	37
	Other	0		Other	22		Other	166
TOTAL		12	TOTAL		81	TOTAL		507

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* PASQUOTANK			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* PASQUOTANK			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* PASQUOTANK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Firearm, Assault	6	1	Poisoning, Self inflicted	35	1	MVT, Unintentional	144
2	MVT, Unintentional	3	2	MVT, Unintentional	26	2	Fall, Unintentional	36
3	Firearm, Self inflicted; Drowning, Unintentional	2	3	Fall, Unintentional	14	3	Struck, Unintentional	30
4	Unspecified, Assault; Poisoning, Unintentional; Drowning, Self inflicted	1	4	Unspecified, Unintentional	10	4	Overexertion, Unintentional	27
5			5	Cut/ Pierce, Assault	9	5	Unspecified, Unintentional	26
	Other	0		Other	62		Other	83
TOTAL		16	TOTAL		156	TOTAL		346

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* PENDER			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* PENDER			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* PENDER		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	21	1	MVT, Unintentional	71	1	MVT, Unintentional	555
2	Firearm, Assault	4	2	Other spec/class, Unintentional	30	2	Fall, Unintentional	277
3	Suffocation, Self inflicted	3	3	Poisoning, Self inflicted	28	3	Unspecified, Unintentional	191
4	Poisoning, Unintentional; Natural/ Environ, Unintentional; Firearm, Self inflicted	2	4	Transport, other, Unintentional; Fall, Unintentional	17	4	Overexertion, Unintentional	182
5	Suffocation, Unintentional; Other land transport, Unintentional Other	1 0	5	Poisoning, Unintentional Other	10 88	5	Struck, Unintentional Other	169 560
TOTAL		36	TOTAL		261	TOTAL		1,934

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* PERQUIMANS			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* PERQUIMANS			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* PERQUIMANS		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	5	1	MVT, Unintentional	9	1	MVT, Unintentional	51
2	Other spec/class, Unintentional; Firearm, Assault; Cut/ Pierce, Assault	1	2	Transport, other, Unintentional	5	2	Fall, Unintentional	31
3			3	Struck, Unintentional	4	3	Overexertion, Unintentional	18
4			4	Poisoning, Unintentional; Poisoning, Self inflicted	3	4	Unspecified, Unintentional; Struck, Unintentional	16
5			5	Cut/ Pierce, Unintentional Other	2 7	5	Cut/ Pierce, Unintentional Other	15 58
TOTAL		8	TOTAL		33	TOTAL		205

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* PERSON			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* PERSON			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* PERSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	20	1	MVT, Unintentional	70	1	MVT, Unintentional	490
2	Poisoning, Unintentional; Firearm, Self inflicted; Firearm, Assault	4	2	Other spec/class, Unintentional	28	2	Overexertion, Unintentional	447
3	Fall, Unintentional	2	3	Poisoning, Self inflicted	19	3	Struck, Unintentional	366
4	Suffocation, Self inflicted; Machinery, Unintentional; Fire/ Burn, Unintentional; Drowning, Unintentional; Cut/ Pierce, Assault	1	4	Fall, Unintentional	16	4	Fall, Unintentional	327
5	Other	0	5	Firearm, Assault	15	5	Cut/ Pierce, Unintentional	268
TOTAL		39	TOTAL		238	TOTAL		2,815

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* PITT			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* PITT			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* PITT		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	44	1	MVT, Unintentional	202	1	MVT, Unintentional	1,284
2	Firearm, Assault	25	2	Poisoning, Self inflicted	160	2	Fall, Unintentional	748
3	Poisoning, Unintentional	13	3	Fall, Unintentional	89	3	Struck, Unintentional	670
4	Firearm, Self inflicted	6	4	Firearm, Assault	35	4	Overexertion, Unintentional	549
5	Cut/ Pierce, Assault	3	5	Struck, Assault	25	5	Cut/ Pierce, Unintentional	546
	Other	20		Other	304		Other	2,024
TOTAL		111	TOTAL		815	TOTAL		5,821

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* POLK			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* POLK			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* POLK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	3	1	Poisoning, Self inflicted	20	1	MVT, Unintentional	115
2	Suffocation, Self inflicted; Poisoning, Unintentional	2	2	MVT, Unintentional	14	2	Fall, Unintentional	78
3	Machinery, Unintentional; Firearm, Unintentional; Firearm, Self inflicted; Fire/ Burn, Unintentional; Drowning, Unintentional	1	3	Transport, other, Unintentional	7	3	Transport, other, Unintentional	28
4			4	Other spec/class, Unintentional	5	4	Overexertion, Unintentional	27
5			5	Struck, Unintentional; Poisoning, Undetermined; Fall, Unintentional; Cut/ Pierce, Self inflicted	4	5	Other spec/class, Unintentional	24
	Other	0		Other	11		Other	126
TOTAL		12	TOTAL		73	TOTAL		398

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* RANDOLPH			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* RANDOLPH			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* RANDOLPH		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	51	1	MVT, Unintentional	229	1	MVT, Unintentional	1,516
2	Firearm, Self inflicted	12	2	Poisoning, Self inflicted	118	2	Fall, Unintentional	1,430
3	Firearm, Assault	11	3	Fall, Unintentional	55	3	Struck, Unintentional	1,026
4	Poisoning, Unintentional	10	4	Transport, other, Unintentional	46	4	Overexertion, Unintentional	961
5	Suffocation, Self inflicted	8	5	Poisoning, Unintentional	34	5	Cut/ Pierce, Unintentional	617
	Other	17		Other	213		Other	2,964
TOTAL		109	TOTAL		695	TOTAL		8,514

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* RICHMOND			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* RICHMOND			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* RICHMOND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	10	1	MVT, Unintentional	100	1	MVT, Unintentional	935
2	Firearm, Assault	8	2	Poisoning, Self inflicted	71	2	Fall, Unintentional	684
3	Poisoning, Unintentional	6	3	Fall, Unintentional	29	3	Overexertion, Unintentional	625
4	Firearm, Self inflicted	3	4	Poisoning, Unintentional	23	4	Struck, Unintentional	576
5	Suffocation, Self inflicted	2	5	Unspecified, Unintentional; Transport, other, Unintentional	19	5	Cut/ Pierce, Unintentional	393
	Other	8		Other	148		Other	1,738
TOTAL		37	TOTAL		409	TOTAL		4,951

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* ROBESON			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* ROBESON			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* ROBESON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	101	1	MVT, Unintentional	337	1	MVT, Unintentional	2,459
2	Firearm, Assault	75	2	Poisoning, Self inflicted	180	2	Fall, Unintentional	1,192
3	Firearm, Self inflicted	17	3	Unspecified, Unintentional	93	3	Unspecified, Unintentional	1,100
4	Poisoning, Unintentional	10	4	Fall, Unintentional	71	4	Overexertion, Unintentional	900
5	Cut/ Pierce, Assault	6	5	Poisoning, Unintentional	70	5	Struck, Unintentional	883
	Other	26		Other	676		Other	3,418
TOTAL		235	TOTAL		1,427	TOTAL		9,952

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* ROCKINGHAM			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* ROCKINGHAM			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* ROCKINGHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	37	1	MVT, Unintentional	188	1	Fall, Unintentional	947
2	Poisoning, Unintentional	17	2	Poisoning, Self inflicted	160	2	MVT, Unintentional	879
3	Firearm, Assault	9	3	Fall, Unintentional	54	3	Overexertion, Unintentional	717
4	Firearm, Self inflicted	4	4	Poisoning, Unintentional	52	4	Struck, Unintentional	678
5	Poisoning, Self inflicted; Drowning, Unintentional	3	5	Transport, other, Unintentional	30	5	Unspecified, Unintentional	580
	Other	11		Other	232		Other	2,319
TOTAL		84	TOTAL		716	TOTAL		6,120

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* ROWAN			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* ROWAN			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* ROWAN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	38	1	MVT, Unintentional	193	1	MVT, Unintentional	1,022
2	Poisoning, Unintentional	28	2	Poisoning, Self inflicted	107	2	Fall, Unintentional	742
3	Firearm, Self inflicted	15	3	Fall, Unintentional	65	3	Overexertion, Unintentional	579
4	Firearm, Assault	13	4	Other spec/class, Unintentional	58	4	Struck, Unintentional	572
5	Suffocation, Self inflicted	5	5	Transport, other, Unintentional	33	5	Unspecified, Unintentional	447
	Other	16		Other	263		Other	1,526
TOTAL		115	TOTAL		719	TOTAL		4,888

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* RUTHERFORD			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* RUTHERFORD			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* RUTHERFORD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	24	1	Poisoning, Self inflicted	73	1	Fall, Unintentional	886
2	Poisoning, Unintentional	16	2	MVT, Unintentional	52	2	MVT, Unintentional	731
3	Firearm, Assault	8	3	Poisoning, Unintentional	47	3	Overexertion, Unintentional	629
4	Firearm, Self inflicted	5	4	Fall, Unintentional	33	4	Struck, Unintentional	496
5	Suffocation, Self inflicted; Poisoning, Self inflicted	3	5	Cut/ Pierce, Self inflicted	22	5	Unspecified, Unintentional	424
	Other	7		Other	175		Other	1,592
TOTAL		66	TOTAL		402	TOTAL		4,758

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* SAMPSON			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* SAMPSON			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* SAMPSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	44	1	MVT, Unintentional	142	1	MVT, Unintentional	940
2	Firearm, Assault	9	2	Poisoning, Self inflicted	61	2	Overexertion, Unintentional	585
3	Poisoning, Unintentional	4	3	Fall, Unintentional	34	3	Struck, Unintentional	527
4	Drowning, Unintentional	3	4	Unspecified, Unintentional	21	4	Fall, Unintentional	512
5	Suffocation, Self inflicted; Cut/ Pierce, Assault	2	5	Firearm, Assault	20	5	Unspecified, Unintentional	351
	Other	10		Other	181		Other	1,529
TOTAL		74	TOTAL		459	TOTAL		4,444

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* SCOTLAND			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* SCOTLAND			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* SCOTLAND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	17	1	MVT, Unintentional	68	1	MVT, Unintentional	589
2	Firearm, Assault	11	2	Poisoning, Self inflicted	51	2	Struck, Unintentional	383
3	Poisoning, Unintentional	6	3	Fall, Unintentional	16	3	Overexertion, Unintentional	321
4	Firearm, Self inflicted	2	4	Cut/ Pierce, Assault	15	4	Fall, Unintentional	314
5	Other land transport, Unintentional; Fire/ Burn, Assault; Fall, Unintentional	1	5	Struck, Assault	14	5	Unspecified, Unintentional	234
	Other	0		Other	143		Other	1,032
TOTAL		39	TOTAL		307	TOTAL		2,873

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* STANLY			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* STANLY			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* STANLY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	22	1	MVT, Unintentional	103	1	Fall, Unintentional	267
2	Poisoning, Unintentional	10	2	Poisoning, Self inflicted	42	2	MVT, Unintentional	265
3	Firearm, Self inflicted	6	3	Transport, other, Unintentional	27	3	Overexertion, Unintentional	214
4	Firearm, Assault	5	4	Fall, Unintentional	24	4	Struck, Unintentional	192
5	Suffocation, Self inflicted	3	5	Other spec/class, Unintentional	23	5	Unspecified, Unintentional	153
	Other	6		Other	142		Other	677
TOTAL		52	TOTAL		361	TOTAL		1,768

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* STOKES			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* STOKES			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* STOKES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	9	1	MVT, Unintentional	82	1	Fall, Unintentional	593
2	Poisoning, Unintentional	8	2	Poisoning, Self inflicted	56	2	Struck, Unintentional	436
3	Firearm, Self inflicted	6	3	Fall, Unintentional	30	3	MVT, Unintentional	434
4	Poisoning, Undetermined; Poisoning, Self inflicted	2	4	Poisoning, Undetermined	12	4	Overexertion, Unintentional	292
5	Unspecified, Unintentional; Unspecified, Assault; Suffocation, Self inflicted; Pedestrian, other, Unintentional; Firearm, Legal intervention; Firearm, Assault; Fire/ Burn, Unintentional; Cut/ Pierce, Assault	1	5	Struck, Unintentional; Poisoning, Unintentional	10	5	Cut/ Pierce, Unintentional	261
	Other	0		Other	93		Other	954
TOTAL		35	TOTAL		293	TOTAL		2,970

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* SURRY			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* SURRY			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* SURRY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	21	1	MVT, Unintentional	128	1	Fall, Unintentional	973
2	Poisoning, Unintentional	19	2	Poisoning, Self inflicted	104	2	Overexertion, Unintentional	872
3	Firearm, Self inflicted	11	3	Poisoning, Unintentional	35	3	MVT, Unintentional	858
4	Suffocation, Self inflicted	5	4	Fall, Unintentional	33	4	Struck, Unintentional	627
5	Firearm, Assault	3	5	Other spec/class, Unintentional	30	5	Cut/ Pierce, Unintentional	466
	Other	9		Other	169		Other	1,985
TOTAL		68	TOTAL		499	TOTAL		5,781

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* SWAIN			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* SWAIN			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* SWAIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	6	1	Poisoning, Self inflicted	21	1	Fall, Unintentional	152
2	MVT, Unintentional	5	2	Poisoning, Unintentional	18	2	Overexertion, Unintentional	107
3	Firearm, Assault	4	3	MVT, Unintentional	17	3	Struck, Unintentional	97
4	Other spec/NEC, Unintentional; Cut/ Pierce, Assault	1	4	Fall, Unintentional	12	4	Cut/ Pierce, Unintentional	93
5			5	Unspecified, Unintentional	9	5	MVT, Unintentional	91
	Other	0		Other	35		Other	365
TOTAL		17	TOTAL		112	TOTAL		905

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* TRANSYLVANIA			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* TRANSYLVANIA			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* TRANSYLVANIA		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	9	1	MVT, Unintentional	33	1	Fall, Unintentional	443
2	MVT, Unintentional; Firearm, Self inflicted	4	2	Poisoning, Self inflicted	21	2	Overexertion, Unintentional	435
3	Drowning, Unintentional	2	3	Fall, Unintentional	13	3	Struck, Unintentional	369
4	Poisoning, Self inflicted; Firearm, Assault	1	4	Struck, Unintentional	9	4	Unspecified, Unintentional; MVT, Unintentional	303
5			5	Unspecified, Unintentional; Transport, other, Unintentional; Poisoning, Unintentional; Other spec/class, Unintentional	5	5	Cut/ Pierce, Unintentional	249
	Other	0		Other	25		Other	653
TOTAL		21	TOTAL		121	TOTAL		2,755

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* TYRRELL			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* TYRRELL			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* TYRRELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1		0	1	Fall, Unintentional	4	1	MVT, Unintentional	21
2		0	2	MVT, Unintentional; Fire/ Burn, Unintentional	2	2	Fall, Unintentional	16
3		0	3	Unspecified, Unintentional; Transport, other, Unintentional; Poisoning, Unintentional; Poisoning, Self inflicted; Other spec/not class, Unintentional; Natural/ Environ, Unintentional; Cut/ Pierce, Unintentional	1	3	Struck, Unintentional	15
4		0	4			4	Overexertion, Unintentional	14
5		0	5			5	Cut/ Pierce, Unintentional	8
	Other	0		Other	0		Other	34
TOTAL		0	TOTAL		15	TOTAL		108

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* UNION			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* UNION			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* UNION		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	56	1	MVT, Unintentional	209	1	MVT, Unintentional	1,677
2	Firearm, Assault	17	2	Poisoning, Self inflicted	86	2	Overexertion, Unintentional	1,094
3	Poisoning, Unintentional	14	3	Fall, Unintentional	76	3	Struck, Unintentional	935
4	Firearm, Self inflicted	5	4	Other spec/class, Unintentional	61	4	Fall, Unintentional	916
5	Suffocation, Self inflicted	4	5	Transport, other, Unintentional	37	5	Unspecified, Unintentional	914
	Other	11		Other	279		Other	2,909
TOTAL		107	TOTAL		748	TOTAL		8,445

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* VANCE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* VANCE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* VANCE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	13	1	MVT, Unintentional	82	1	MVT, Unintentional	257
2	Firearm, Assault	10	2	Firearm, Assault	33	2	Fall, Unintentional	199
3	Poisoning, Unintentional	9	3	Poisoning, Self inflicted	29	3	Overexertion, Unintentional	191
4	Firearm, Self inflicted	3	4	Fall, Unintentional	23	4	Struck, Unintentional	171
5	Unspecified, Unintentional	2	5	Poisoning, Unintentional	16	5	Cut/ Pierce, Unintentional	101
	Other	6		Other	106		Other	432
TOTAL		43	TOTAL		289	TOTAL		1,351

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* WAKE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* WAKE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* WAKE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	191	1	MVT, Unintentional	881	1	MVT, Unintentional	7,635
2	Poisoning, Unintentional	56	2	Poisoning, Self inflicted	462	2	Struck, Unintentional	5,208
3	Firearm, Assault	41	3	Fall, Unintentional	378	3	Fall, Unintentional	4,765
4	Firearm, Self inflicted	31	4	Other spec/class, Unintentional	179	4	Overexertion, Unintentional	3,719
5	Suffocation, Self inflicted	14	5	Poisoning, Unintentional	171	5	Cut/ Pierce, Unintentional	3,032
	Other	80		Other	1,272		Other	10,622
TOTAL		413	TOTAL		3,343	TOTAL		34,981

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* WARREN			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* WARREN			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* WARREN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	21	1	MVT, Unintentional	31	1	MVT, Unintentional	84
2	Firearm, Assault	4	2	Poisoning, Unintentional	5	2	Overexertion, Unintentional; Fall, Unintentional	42
3	Poisoning, Unintentional; Drowning, Unintentional	1	3	Poisoning, Self inflicted; Firearm, Assault; Cut/ Pierce, Assault	4	3	Struck, Unintentional	41
4			4	Unspecified, Unintentional; Transport, other, Unintentional; Machinery, Unintentional; Firearm, Unintentional; Fall, Unintentional; Cut/ Pierce, Unintentional	3	4	Cut/ Pierce, Unintentional	19
5			5	Struck, Assault; Other spec/not class, Assault	2	5	Other spec/class, Unintentional; Natural/ Environ, Unintentional	15
	Other	0		Other	6		Other	53
TOTAL		27	TOTAL		76	TOTAL		311

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* WASHINGTON			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* WASHINGTON			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* WASHINGTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	5	1	MVT, Unintentional	15	1	MVT, Unintentional	67
2	Other land transport, Unintentional; Firearm, Self inflicted; Firearm, Assault; Cut/ Pierce, Assault	1	2	Poisoning, Self inflicted	7	2	Fall, Unintentional	31
3			3	Poisoning, Unintentional	5	3	Overexertion, Unintentional	26
4			4	Unspecified, Unintentional; Poisoning, Undetermined; Fall, Unintentional	4	4	Struck, Unintentional	19
5			5	Fall, Undetermined	3	5	Unspecified, Unintentional	15
	Other	0		Other	11		Other	52
TOTAL		9	TOTAL		53	TOTAL		210

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* WATAUGA			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* WATAUGA			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* WATAUGA		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	7	1	Poisoning, Self inflicted	37	1	Fall, Unintentional	226
2	Firearm, Self inflicted	5	2	MVT, Unintentional; Fall, Unintentional	29	2	MVT, Unintentional	155
3	Poisoning, Unintentional	4	3	Struck, Unintentional	11	3	Struck, Unintentional	147
4	Suffocation, Self inflicted; Poisoning, Undetermined; Other land transport, Unintentional; Firearm, Assault; Cut/ Pierce, Assault	1	4	Unspecified, Unintentional; Other spec/class, Unintentional	10	4	Overexertion, Unintentional	144
5	Other	0	5	Poisoning, Undetermined	9	5	Cut/ Pierce, Unintentional	113
TOTAL		21	TOTAL		181	TOTAL		1,123

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* WAYNE			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* WAYNE			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* WAYNE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	47	1	MVT, Unintentional	196	1	MVT, Unintentional	1,724
2	Firearm, Assault	32	2	Poisoning, Self inflicted	148	2	Struck, Unintentional	1,151
3	Poisoning, Unintentional; Firearm, Self inflicted	12	3	Fall, Unintentional	57	3	Fall, Unintentional	1,014
4	Suffocation, Self inflicted	6	4	Cut/pierce, Self inflicted	43	4	Overexertion, Unintentional	878
5	Poisoning, Self inflicted; Drowning, Unintentional	3	5	Unspecified, Unintentional	38	5	Cut/ Pierce, Unintentional	650
	Other	11		Other	325		Other	3,094
TOTAL		126	TOTAL		807	TOTAL		8,511

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* WILKES			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* WILKES			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* WILKES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	27	1	MVT, Unintentional	132	1	MVT, Unintentional	132
2	Poisoning, Unintentional	26	2	Poisoning, Self inflicted	125	2	Fall, Unintentional	104
3	Firearm, Self inflicted	4	3	Fall, Unintentional	45	3	Struck, Unintentional	93
4	Suffocation, Self inflicted; Firearm, Assault	3	4	Poisoning, Unintentional	29	4	Overexertion, Unintentional	66
5	Unspecified, Unintentional	2	5	Transport, other, Unintentional	26	5	Poisoning, Unintentional	58
	Other	5		Other	148		Other	264
TOTAL		70	TOTAL		505	TOTAL		717

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* WILSON			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* WILSON			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* WILSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	37	1	MVT, Unintentional	114	1	MVT, Unintentional	527
2	Firearm, Assault	16	2	Poisoning, Self inflicted	92	2	Overexertion, Unintentional	377
3	Cut/ Pierce, Assault	7	3	Fall, Unintentional	29	3	Fall, Unintentional	293
4	Poisoning, Self inflicted; Firearm, Self inflicted	3	4	Firearm, Assault	24	4	Struck, Unintentional	267
5	Unspecified, Assault	2	5	Unspecified, Unintentional	17	5	Unspecified, Unintentional	234
	Other	8		Other	152		Other	883
TOTAL		76	TOTAL		428	TOTAL		2,581

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* YADKIN			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* YADKIN			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* YADKIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	11	1	MVT, Unintentional	68	1	MVT, Unintentional	290
2	Poisoning, Unintentional	10	2	Poisoning, Self inflicted	42	2	Fall, Unintentional	274
3	Firearm, Self inflicted	4	3	Other spec/class, Unintentional	15	3	Struck, Unintentional	247
4	Suffocation, Self inflicted	3	4	Poisoning, Unintentional	14	4	Overexertion, Unintentional	204
5	Transport, other, Unintentional; Suffocation, Unintentional; Other spec/class, Unintentional; Fire/ Burn, Unintentional	1	5	Unspecified, Unintentional; Transport, other, Unintentional; Fall, Unintentional	12	5	Unspecified, Unintentional	180
	Other	0		Other	38		Other	552
TOTAL		32	TOTAL		213	TOTAL		1,747

Leading Causes of Injury Death AGES 15-34: N.C. 2004-2007* YANCEY			Leading Causes of Injury Hospitalization** AGES 15-34: N.C. 2004-2007* YANCEY			Leading Causes of Injury ED Visits** AGES 15-34: N.C. 2006-2007* YANCEY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional; MVT, Unintentional	3	1	MVT, Unintentional	28	1	MVT, Unintentional	82
2	Suffocation, Unintentional; Struck, Unintentional; Poisoning, Undetermined; Firearm, Self inflicted; Firearm, Assault	1	2	Fall, Unintentional	10	2	Fall, Unintentional	36
3			3	Poisoning, Unintentional	9	3	Transport, other, Unintentional	18
4			4	Transport, other, Unintentional	5	4	Struck, Unintentional	16
5			5	Poisoning, Self inflicted; Cut/ Pierce, Unintentional	4	5	Overexertion, Unintentional	13
	Other	0		Other	22		Other	79
TOTAL		11	TOTAL		82	TOTAL		244

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.